



## UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

| APPLICATION                 | FILING DATE |         | FIRST NAMED APPLICANT | ATTORNEY DOCKET NO. |              |
|-----------------------------|-------------|---------|-----------------------|---------------------|--------------|
| 08/705,326                  | 08/29/96    | LACOUNT |                       | K 1                 |              |
|                             |             |         |                       | EXAM                | IIÑER        |
| 1                           |             | 4102/   | 1222                  |                     |              |
| EMRICH AND DI               | THMAR       |         |                       | Jartund, E          | PAPER NUMBER |
| BOO SOUTH WAS<br>SUITE 3000 |             |         |                       |                     | /0           |
| CHICAGO IL 60               | 606         |         | D                     | ATE MAILED:         |              |

12/22/98

|  | orrected/substituted drawings for the above-identified application, received in the PTO on 7 - 6 - 9 © , re still considered informal for the reason(s) identified on the attached Form PTO-948.  |
|--|---|
|  | Applicant has the time remaining in the reply period set in the Notice of Allowability or Notice of Drawing Requirements mailed to overcome the objections raised in the attached Form PTO-948. This reply period may be extended under the provisions of 37 CFR 1.136(a) by filing the appropriate request and fee before the end of the six month statutory period for reply. |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | The PTO delayed in reviewing the corrected drawings. Applicant is given A ONE MONTH TIME PERIOD from the date of this Notice to provide corrected drawings. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTEI UNDER 37 CFR 1.136(a).  |
| Ð A                                    | ATTACHMENT: PTO-948   |

Patent and Trademark Office